RED-X Anti-Slip floor treatment



Application Instructions - Buffer Instructions

YOU MUST TEST A SMALL AREA BEFORE PROCEEDING WITH THE INSTALLATION OF RED-X[™] TO DETERMINE THE CORRECT AMOUNT OF DWELL TIME

COMMERCIAL APPLICATION INSTRUCTIONS FOR LARGER AREAS ALWAYS WEAR GOGGLES, GLOVES, AND SLIP RESISTANT SHOES WHEN USING THIS PRODUCT. Follow all proper procedures per your company requirements and guidelines.

STEP 1: Read directions on data sheet carefully before using.

STEP 2: Sweep the floor thoroughly.

STEP 3: Wearing slip-resistant shoes, degrease the floor using clean water and a commercial grade degreaser. Do not use bleach or a power detergent! Be sure to rinse the floor after degreasing.

STEP 4: Pour **RED-X** into a clean, empty mop bucket. Mark off area no larger than 300-500 sq. ft. at a time to treat. Do not try to treat a larger area, because this will result in product drying on floor.

STEP 5: Using a clean mop, apply **RED-X** liberally on the area to be treated.

STEP 6: Scrub the floor-using a low speed buffer and a white pad with the product-to loosen the soil buildup and put the product into action. Keep the area treating wet and observe the area closely to make sure no spots become dry.

NOTE: DO NOT ALLOW THE FLOOR TO DRY.

STEP 7: After Dwell time tested above (*average is usually around 25-35 minutes, must pretest for correct time*) have elapsed, using a clean mop, pick up the dirty solution and thoroughly rinse the area with clean water, changing rinse water frequently. Make sure to keep mop head clean. You can use a wet vac to clean up the water.

STEP 8: Properly dispose of dirty solution and the **Red-X** container when empty.

STEP 9: Maintain floor daily using a commercial grade emulsifier degreaser.

Use as directed.

ONE GALLON WILL TREAT APPROX. 400 SQ. FT.

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

SKIN AND EYES: May cause irritation.

INGESTION: May be harmful if swallowed.

FIRST AID

SKIN: Remove contaminated clothing – wash skin with large volumes of soap and water for at least 15 minutes. If irritation persists, get medical attention. **EYES:** Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get immediate medical attention. **INGESTION: DO NOT INDUCE VOMITING.** Drink large quantities of water. Get immediate medical attention.

To Re-Order Please call 1-800-275-7771 Product #NSF 8345

KEEP FROM FREEZING. STORE IN A COOL DRY PLACE.

Red-x helps to reduce the risk of slip/fall accidents, however, Nu-Safe Floor Solutions, its agents and representatives do not warrant or guarantee to the customer, or any other person or party, against the occurrence of slip/falls, or other accidents. Accidents and falls may occur on treated areas, notwithstanding its treatment with Red-x and customer AGREES to indemnify and hold harmless Nu-Safe Floor Solutions, its agents and representatives, free and harmless from any damages, claims, demands or causes of action arising in connection with or brought by anyone allegedly slipping, falling, tripping or stumbling on treated area.

Red-X does not work on epoxy-coated surfaces, vinyl (VCT), fiberglass, metal, wood, and other painted surfaces. If you have a coated surface, it must be removed before treatment. **Remember:** Test any surface before treating or when in doubt about results. Do not use on marble, or polished granite. Do not mix with bleach or any other cleaning chemical. Refer to MSDS for safety precautions.